

Model	Verzija	Opcija	Veličina	RT	Kompresor	Isparivač	Ventilator	Lw [dBA]	Qh1 [kW]	Nh1 [kW]	EER	SEER	Dužina [mm]	Širina [mm]	Visina [mm]	Masa [kg]
NX2-G06 /EC	-	EC FANS	42	R454B	SCROLL	PLATE	AXIAL EC		40,4	13,3		4,91				
NX2-G06 /NR	-	NOISE REDUCER	42	R454B	SCROLL	PLATE	AXIAL AC		39,9	13,8		4,6				
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	42	R454B	SCROLL	PLATE	AXIAL EC		39,9	13,6		4,86				
NX2-G06	-	-	42	R454B	SCROLL	PLATE	AXIAL AC		40,4	13,8		4,61				
NX2-G06 /UP	-	UP	42	R454B	SCROLL	PLATE	AXIAL AC		41,1	13		4,7				
NX2-G06 /UP + EC	-	UP + EC	42	R454B	SCROLL	PLATE	AXIAL EC		41,1	12,8		4,97				
NX2-G06 /EC	-	EC FANS	52	R454B	SCROLL	PLATE	AXIAL EC		48,5	15,7		4,98				
NX2-G06 /NR	-	NOISE REDUCER	52	R454B	SCROLL	PLATE	AXIAL AC		47,7	16,3		4,71				
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	52	R454B	SCROLL	PLATE	AXIAL EC		47,7	16,1		4,93				
NX2-G06	-	-	52	R454B	SCROLL	PLATE	AXIAL AC		48,5	16,3		4,72				
NX2-G06 /UP	-	UP	52	R454B	SCROLL	PLATE	AXIAL AC		49,2	15,1		4,83				
NX2-G06 /UP + EC	-	UP + EC	52	R454B	SCROLL	PLATE	AXIAL EC		49,2	14,9		5,07				
NX2-G06 /EC	-	EC FANS	62	R454B	SCROLL	PLATE	AXIAL EC		54	16,7		4,77				
NX2-G06 /NR	-	NOISE REDUCER	62	R454B	SCROLL	PLATE	AXIAL AC		53,5	17,3		4,54				
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	62	R454B	SCROLL	PLATE	AXIAL EC		53,5	17,2		4,73				
NX2-G06	-	-	62	R454B	SCROLL	PLATE	AXIAL AC		54	17,3		4,56				
NX2-G06 /UP	-	UP	62	R454B	SCROLL	PLATE	AXIAL AC		54,6	16		4,65				
NX2-G06 /UP + EC	-	UP + EC	62	R454B	SCROLL	PLATE	AXIAL EC		54,6	15,8		4,85				
NX2-G06 /EC	-	EC FANS	72	R454B	SCROLL	PLATE	AXIAL EC		60,8	17,1		4,96				
NX2-G06 /NR	-	NOISE REDUCER	72	R454B	SCROLL	PLATE	AXIAL AC		60,4	17,7		4,66				
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	72	R454B	SCROLL	PLATE	AXIAL EC		60,4	17,5		4,93				
NX2-G06	-	-	72	R454B	SCROLL	PLATE	AXIAL AC		60,8	18		4,65				
NX2-G06 /UP	-	UP	72	R454B	SCROLL	PLATE	AXIAL AC		61,4	17		4,72				
NX2-G06 /UP + EC	-	UP + EC	72	R454B	SCROLL	PLATE	AXIAL EC		61,4	16,7		5				
NX2-G06 /EC	-	EC FANS	82	R454B	SCROLL	PLATE	AXIAL EC		68	20		4,84				
NX2-G06 /NR	-	NOISE REDUCER	82	R454B	SCROLL	PLATE	AXIAL AC		67,4	20,6		4,57				
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	82	R454B	SCROLL	PLATE	AXIAL EC		67,4	20,4		4,8				
NX2-G06	-	-	82	R454B	SCROLL	PLATE	AXIAL AC		68	20,9		4,57				
NX2-G06 /UP	-	UP	82	R454B	SCROLL	PLATE	AXIAL AC		68,8	19,5		4,65				
NX2-G06 /UP + EC	-	UP + EC	82	R454B	SCROLL	PLATE	AXIAL EC		68,8	19,3		4,89				
NX2-G06 /EC	-	EC FANS	92	R454B	SCROLL	PLATE	AXIAL EC		79,6	25		4,82				
NX2-G06 /NR	-	NOISE REDUCER	92	R454B	SCROLL	PLATE	AXIAL AC		78,6	25,8		4,59				
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	92	R454B	SCROLL	PLATE	AXIAL EC		78,6	25,5		4,78				
NX2-G06	-	-	92	R454B	SCROLL	PLATE	AXIAL AC		79,6	25,8		4,6				
NX2-G06 /UP	-	UP	92	R454B	SCROLL	PLATE	AXIAL AC		80,6	23,8		4,69				
NX2-G06 /UP + EC	-	UP + EC	92	R454B	SCROLL	PLATE	AXIAL EC		80,6	23,6		4,89				
NX2-G06 /EC	-	EC FANS	102	R454B	SCROLL	PLATE	AXIAL EC		93,1	27,6		4,84				
NX2-G06 /NR	-	NOISE REDUCER	102	R454B	SCROLL	PLATE	AXIAL AC		92,2	28,7		4,54				
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	102	R454B	SCROLL	PLATE	AXIAL EC		92,2	27,9		4,9				
NX2-G06	-	-	102	R454B	SCROLL	PLATE	AXIAL AC		93,1	28,3		4,53				
NX2-G06 /UP	-	UP	102	R454B	SCROLL	PLATE	AXIAL AC		94,1	28,4		4,54				
NX2-G06 /UP + EC	-	UP + EC	102	R454B	SCROLL	PLATE	AXIAL EC		94,1	27,8		4,85				
NX2-G06 /EC	-	EC FANS	112	R454B	SCROLL	PLATE	AXIAL EC		103,5	32,5		4,51				
NX2-G06 /NR	-	NOISE REDUCER	112	R454B	SCROLL	PLATE	AXIAL AC		102,5	33,8		4,27				
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	112	R454B	SCROLL	PLATE	AXIAL EC		102,5	33		4,53				
NX2-G06	-	-	112	R454B	SCROLL	PLATE	AXIAL AC		103,5	33,3		4,29				
NX2-G06 /UP	-	UP	112	R454B	SCROLL	PLATE	AXIAL AC		104,4	32,9		4,31				

U dokumentu se nalazi dio tehničkih podataka o opremi i radnim parametrima pri nominalnim uvjetima: grijanje a7/w45; hlađenje a35/w7.

**Sve ostale podatke iz tablice moguće je u Excel formi dobiti nakon prijave na Deltron tehničku podršku putem linka:**  
<https://podrska.deltron.hr/login/>

Detaljnu selekciju opreme za sve opcije ili specifične radne uvjete moguće je dobiti upitom na mail:  
[dizalice.topline@deltron.hr](mailto:dizalice.topline@deltron.hr)

NX2-G06 /UP + EC	-	UP + EC	112	R454B	SCROLL	PLATE	AXIAL EC	104,4	32,3	4,54
NX2-G06 /EC	-	EC FANS	122	R454B	SCROLL	PLATE	AXIAL EC	116,2	38,1	4,54
NX2-G06 /NR	-	NOISE REDUCER	122	R454B	SCROLL	PLATE	AXIAL AC	114,9	39,8	4,29
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	122	R454B	SCROLL	PLATE	AXIAL EC	114,9	38,9	4,53
NX2-G06	-	-	122	R454B	SCROLL	PLATE	AXIAL AC	116,2	38,9	4,32
NX2-G06 /UP	-	UP	122	R454B	SCROLL	PLATE	AXIAL AC	117,8	37,8	4,37
NX2-G06 /UP + EC	-	UP + EC	122	R454B	SCROLL	PLATE	AXIAL EC	117,8	37,2	4,59
NX2-G06 /EC	-	EC FANS	142	R454B	SCROLL	PLATE	AXIAL EC	129,3	44,3	4,56
NX2-G06 /NR	-	NOISE REDUCER	142	R454B	SCROLL	PLATE	AXIAL AC	127,4	46,2	4,34
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	142	R454B	SCROLL	PLATE	AXIAL EC	127,4	45,5	4,55
NX2-G06	-	-	142	R454B	SCROLL	PLATE	AXIAL AC	129,3	45,1	4,38
NX2-G06 /UP	-	UP	142	R454B	SCROLL	PLATE	AXIAL AC	131,4	43,1	4,44
NX2-G06 /UP + EC	-	UP + EC	142	R454B	SCROLL	PLATE	AXIAL EC	131,4	42,4	4,62
NX2-G06 /EC	-	EC FANS	162	R454B	SCROLL	PLATE	AXIAL EC	151,7	47,1	4,75
NX2-G06 /NR	-	NOISE REDUCER	162	R454B	SCROLL	PLATE	AXIAL AC	150,1	49,2	4,48
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	162	R454B	SCROLL	PLATE	AXIAL EC	150,1	48	4,78
NX2-G06	-	-	162	R454B	SCROLL	PLATE	AXIAL AC	151,7	48,2	4,48
NX2-G06 /UP	-	UP	162	R454B	SCROLL	PLATE	AXIAL AC	153,6	47,6	4,51
NX2-G06 /UP + EC	-	UP + EC	162	R454B	SCROLL	PLATE	AXIAL EC	153,6	46,7	4,77
NX2-G06 /EC	-	EC FANS	182	R454B	SCROLL	PLATE	AXIAL EC	173,9	55	4,71
NX2-G06 /NR	-	NOISE REDUCER	182	R454B	SCROLL	PLATE	AXIAL AC	171,6	57,6	4,47
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	182	R454B	SCROLL	PLATE	AXIAL EC	171,6	56,3	4,71
NX2-G06	-	-	182	R454B	SCROLL	PLATE	AXIAL AC	173,9	56,1	4,49
NX2-G06 /UP	-	UP	182	R454B	SCROLL	PLATE	AXIAL AC	176,1	54,7	4,54
NX2-G06 /UP + EC	-	UP + EC	182	R454B	SCROLL	PLATE	AXIAL EC	176,1	53,7	4,75
NX2-G06 /EC	-	EC FANS	0184P	R454B	SCROLL	PLATE	AXIAL EC	168,1	49	5,01
NX2-G06	-	-	0184P	R454B	SCROLL	PLATE	AXIAL AC	168,1	50,2	4,73
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0184P	R454B	SCROLL	PLATE	AXIAL EC	167,1	49,6	5,01
NX2-G06 /NR	-	NOISE REDUCER	0184P	R454B	SCROLL	PLATE	AXIAL AC	167,1	50,6	4,77
NX2-G06 /EC	-	EC FANS	0184T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	168,1	48,7	5,06
NX2-G06	-	-	0184T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	168,1	49,9	4,78
NX2-G06 /NR	-	NOISE REDUCER	0184T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	167,2	50,4	4,83
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0184T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	167,2	49,3	5,07
NX2-G06 /EC	-	EC FANS	202	R454B	SCROLL	PLATE	AXIAL EC	186,6	61,2	4,67
NX2-G06 /NR	-	NOISE REDUCER	202	R454B	SCROLL	PLATE	AXIAL AC	183,9	64,1	4,45
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	202	R454B	SCROLL	PLATE	AXIAL EC	183,9	62,8	4,67
NX2-G06	-	-	202	R454B	SCROLL	PLATE	AXIAL AC	186,6	62,2	4,48
NX2-G06 /UP	-	UP	202	R454B	SCROLL	PLATE	AXIAL AC	189,5	60	4,53
NX2-G06 /UP + EC	-	UP + EC	202	R454B	SCROLL	PLATE	AXIAL EC	189,5	59	4,73
NX2-G06 /EC	-	EC FANS	0214P	R454B	SCROLL	PLATE	AXIAL EC	197,2	57,8	5,03
NX2-G06	-	-	0214P	R454B	SCROLL	PLATE	AXIAL AC	197,2	59	4,76
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0214P	R454B	SCROLL	PLATE	AXIAL EC	195,7	59,5	5
NX2-G06 /NR	-	NOISE REDUCER	0214P	R454B	SCROLL	PLATE	AXIAL AC	195,7	60,6	4,78
NX2-G06 /EC	-	EC FANS	0214T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	197,2	57,8	5,05
NX2-G06	-	-	0214T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	197,2	58,9	4,79
NX2-G06 /NR	-	NOISE REDUCER	0214T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	195,7	60,4	4,81
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0214T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	195,7	59,3	5,03
NX2-G06 /EC	-	EC FANS	222	R454B	SCROLL	PLATE	AXIAL EC	208,3	70,6	4,63

NX2-G06 /NR	-	NOISE REDUCER	222	R454B	SCROLL	PLATE	AXIAL AC	206,1	74,1	4,4
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	222	R454B	SCROLL	PLATE	AXIAL EC	206,1	72,8	4,6
NX2-G06	-	-	222	R454B	SCROLL	PLATE	AXIAL AC	208,3	71,8	4,46
NX2-G06 /UP	-	UP	222	R454B	SCROLL	PLATE	AXIAL AC	211,4	68,2	4,52
NX2-G06 /UP + EC	-	UP + EC	222	R454B	SCROLL	PLATE	AXIAL EC	211,4	67,3	4,69
NX2-G06 /EC	-	EC FANS	0244P	R454B	SCROLL	PLATE	AXIAL EC	225,8	68,4	4,99
NX2-G06	-	-	0244P	R454B	SCROLL	PLATE	AXIAL AC	225,8	69,7	4,78
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0244P	R454B	SCROLL	PLATE	AXIAL EC	223,7	71	4,94
NX2-G06 /NR	-	NOISE REDUCER	0244P	R454B	SCROLL	PLATE	AXIAL AC	223,7	71,9	4,77
NX2-G06 /EC	-	EC FANS	0244T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	225,8	68,4	4,98
NX2-G06	-	-	0244T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	225,8	69,7	4,77
NX2-G06 /NR	-	NOISE REDUCER	0244T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	223,7	71,9	4,77
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0244T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	223,7	71	4,94
NX2-G06 /EC	-	EC FANS	0264P	R454B	SCROLL	PLATE	AXIAL EC	250,4	77	5
NX2-G06	-	-	0264P	R454B	SCROLL	PLATE	AXIAL AC	250,4	78,2	4,79
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0264P	R454B	SCROLL	PLATE	AXIAL EC	247,5	80,4	4,92
NX2-G06 /NR	-	NOISE REDUCER	0264P	R454B	SCROLL	PLATE	AXIAL AC	247,5	81,4	4,75
NX2-G06 /EC	-	EC FANS	0264T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	250,4	77	5,01
NX2-G06	-	-	0264T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	250,4	78,2	4,81
NX2-G06 /NR	-	NOISE REDUCER	0264T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	247,5	81,4	4,75
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0264T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	247,5	80,4	4,92
NX2-G06 /EC	-	EC FANS	0294P	R454B	SCROLL	PLATE	AXIAL EC	279,7	80,8	4,98
NX2-G06	-	-	0294P	R454B	SCROLL	PLATE	AXIAL AC	279,7	82,8	4,71
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0294P	R454B	SCROLL	PLATE	AXIAL EC	277,9	82	5,04
NX2-G06 /NR	-	NOISE REDUCER	0294P	R454B	SCROLL	PLATE	AXIAL AC	277,9	83,5	4,8
NX2-G06 /EC	-	EC FANS	0294T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	279,6	81	4,96
NX2-G06	-	-	0294T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	279,6	82,7	4,69
NX2-G06 /NR	-	NOISE REDUCER	0294T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	277,8	83,7	4,78
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0294T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	277,8	82,2	5,02
NX2-G06 /EC	-	EC FANS	0334P	R454B	SCROLL	PLATE	AXIAL EC	312,8	92,8	4,99
NX2-G06	-	-	0334P	R454B	SCROLL	PLATE	AXIAL AC	312,8	94,8	4,73
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0334P	R454B	SCROLL	PLATE	AXIAL EC	310,2	95,7	5,01
NX2-G06 /NR	-	NOISE REDUCER	0334P	R454B	SCROLL	PLATE	AXIAL AC	310,2	97,2	4,79
NX2-G06 /EC	-	EC FANS	0334T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	312,8	92,8	4,99
NX2-G06	-	-	0334T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	312,8	94,8	4,73
NX2-G06 /NR	-	NOISE REDUCER	0334T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	310,2	97,2	4,79
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0334T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	310,2	95,7	5,01
NX2-G06 /EC	-	EC FANS	0374P	R454B	SCROLL	PLATE	AXIAL EC	345,4	106,3	4,83
NX2-G06	-	-	0374P	R454B	SCROLL	PLATE	AXIAL AC	345,4	107,9	4,62
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0374P	R454B	SCROLL	PLATE	AXIAL EC	342,6	109,8	4,82
NX2-G06 /NR	-	NOISE REDUCER	0374P	R454B	SCROLL	PLATE	AXIAL AC	342,6	111,2	4,64
NX2-G06 /EC	-	EC FANS	0374T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	345,4	106,3	4,83
NX2-G06	-	-	0374T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	345,4	107,9	4,63
NX2-G06 /NR	-	NOISE REDUCER	0374T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	342,6	111,2	4,64
NX2-G06 /NR + EC	-	NOISE REDUCER + EC FANS	0374T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	342,6	109,8	4,82
NX2-G06 /A	A	-	404	R454B	SCROLL	SHELL&TUBE	AXIAL AC	379,5	113,3	4,74
NX2-G06 /A /EC	A	EC FANS	404	R454B	SCROLL	SHELL&TUBE	AXIAL EC	379,5	111,6	5,03
NX2-G06 /A /NR	A	NOISE REDUCER	404	R454B	SCROLL	SHELL&TUBE	AXIAL AC	379,2	113,9	4,73

NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	404	R454B	SCROLL	SHELL&TUBE	AXIAL EC	379,2	111,2	5,03
NX2-G06 /A	A	-	424	R454B	SCROLL	SHELL&TUBE	AXIAL AC	399,5	118,5	4,77
NX2-G06 /A /EC	A	EC FANS	424	R454B	SCROLL	SHELL&TUBE	AXIAL EC	399,5	117,2	5,06
NX2-G06 /A /NR	A	NOISE REDUCER	424	R454B	SCROLL	SHELL&TUBE	AXIAL AC	398,7	120,1	4,76
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	424	R454B	SCROLL	SHELL&TUBE	AXIAL EC	398,7	117,6	5,05
NX2-G06 /A	A	-	464	R454B	SCROLL	SHELL&TUBE	AXIAL AC	439,3	131,5	4,73
NX2-G06 /A /EC	A	EC FANS	464	R454B	SCROLL	SHELL&TUBE	AXIAL EC	439,3	130	4,91
NX2-G06 /A /NR	A	NOISE REDUCER	464	R454B	SCROLL	SHELL&TUBE	AXIAL AC	437	134,5	4,72
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	464	R454B	SCROLL	SHELL&TUBE	AXIAL EC	437	132	4,92
NX2-G06 /A	A	-	515	R454B	SCROLL	SHELL&TUBE	AXIAL AC	489,7	147,1	4,78
NX2-G06 /A /EC	A	EC FANS	515	R454B	SCROLL	SHELL&TUBE	AXIAL EC	489,7	145,3	5,07
NX2-G06 /A /NR	A	NOISE REDUCER	515	R454B	SCROLL	SHELL&TUBE	AXIAL AC	487,2	150,4	4,76
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	515	R454B	SCROLL	SHELL&TUBE	AXIAL EC	487,2	147,6	5,07
NX2-G06 /A	A	-	576	R454B	SCROLL	SHELL&TUBE	AXIAL AC	540,2	163,7	4,72
NX2-G06 /A /EC	A	EC FANS	576	R454B	SCROLL	SHELL&TUBE	AXIAL EC	540,2	161,7	5,05
NX2-G06 /A /NR	A	NOISE REDUCER	576	R454B	SCROLL	SHELL&TUBE	AXIAL AC	538,1	167,1	4,7
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	576	R454B	SCROLL	SHELL&TUBE	AXIAL EC	538,1	164,1	5,03
NX2-G06 /A	A	-	585	R454B	SCROLL	SHELL&TUBE	AXIAL AC	548,1	163,6	4,82
NX2-G06 /A /EC	A	EC FANS	585	R454B	SCROLL	SHELL&TUBE	AXIAL EC	548,1	161,7	5,13
NX2-G06 /A /NR	A	NOISE REDUCER	585	R454B	SCROLL	SHELL&TUBE	AXIAL AC	545,9	167,5	4,81
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	585	R454B	SCROLL	SHELL&TUBE	AXIAL EC	545,9	164,4	5,13
NX2-G06 /A	A	-	636	R454B	SCROLL	SHELL&TUBE	AXIAL AC	599,1	179,9	4,82
NX2-G06 /A /EC	A	EC FANS	636	R454B	SCROLL	SHELL&TUBE	AXIAL EC	599,1	177,8	5,13
NX2-G06 /A /NR	A	NOISE REDUCER	636	R454B	SCROLL	SHELL&TUBE	AXIAL AC	596,7	184,2	4,8
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	636	R454B	SCROLL	SHELL&TUBE	AXIAL EC	596,7	180,3	5,11
NX2-G06 /A	A	-	676	R454B	SCROLL	SHELL&TUBE	AXIAL AC	638,4	190,6	4,86
NX2-G06 /A /EC	A	EC FANS	676	R454B	SCROLL	SHELL&TUBE	AXIAL EC	638,4	188,3	5,11
NX2-G06 /A /NR	A	NOISE REDUCER	676	R454B	SCROLL	SHELL&TUBE	AXIAL AC	635,9	193,9	4,85
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	676	R454B	SCROLL	SHELL&TUBE	AXIAL EC	635,9	190,4	5,1
NX2-G06 /A	A	-	706	R454B	SCROLL	SHELL&TUBE	AXIAL AC	658	197	4,83
NX2-G06 /A /EC	A	EC FANS	706	R454B	SCROLL	SHELL&TUBE	AXIAL EC	658	194,7	5,14
NX2-G06 /A /NR	A	NOISE REDUCER	706	R454B	SCROLL	SHELL&TUBE	AXIAL AC	654,7	201,4	4,81
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	706	R454B	SCROLL	SHELL&TUBE	AXIAL EC	654,7	197,2	5,12
NX2-G06 /A	A	-	768	R454B	SCROLL	SHELL&TUBE	AXIAL AC	720,4	213,8	4,81
NX2-G06 /A /EC	A	EC FANS	768	R454B	SCROLL	SHELL&TUBE	AXIAL EC	720,4	210,6	5,15
NX2-G06 /A /NR	A	NOISE REDUCER	768	R454B	SCROLL	SHELL&TUBE	AXIAL AC	719,7	214,2	4,81
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	768	R454B	SCROLL	SHELL&TUBE	AXIAL EC	719,7	208,6	5,16
NX2-G06 /A	A	-	808	R454B	SCROLL	SHELL&TUBE	AXIAL AC	761,5	226	4,81
NX2-G06 /A /EC	A	EC FANS	808	R454B	SCROLL	SHELL&TUBE	AXIAL EC	761,5	222,7	5,13
NX2-G06 /A /NR	A	NOISE REDUCER	808	R454B	SCROLL	SHELL&TUBE	AXIAL AC	760	227,5	4,81
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	808	R454B	SCROLL	SHELL&TUBE	AXIAL EC	760	222,2	5,13
NX2-G06 /A	A	-	848	R454B	SCROLL	SHELL&TUBE	AXIAL AC	800,5	237,5	4,83
NX2-G06 /A /EC	A	EC FANS	848	R454B	SCROLL	SHELL&TUBE	AXIAL EC	800,5	234,1	5,14
NX2-G06 /A /NR	A	NOISE REDUCER	848	R454B	SCROLL	SHELL&TUBE	AXIAL AC	798	240,4	4,82
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	848	R454B	SCROLL	SHELL&TUBE	AXIAL EC	798	234,7	5,14
NX2-G06 /A	A	-	898	R454B	SCROLL	SHELL&TUBE	AXIAL AC	839	249,7	4,84
NX2-G06 /A /EC	A	EC FANS	898	R454B	SCROLL	SHELL&TUBE	AXIAL EC	839	246,8	5,14
NX2-G06 /A /NR	A	NOISE REDUCER	898	R454B	SCROLL	SHELL&TUBE	AXIAL AC	836,6	254,3	4,83

NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	898	R454B	SCROLL	SHELL&TUBE	AXIAL EC	836,6	249	5,14
NX2-G06 /A	A	-	928	R454B	SCROLL	SHELL&TUBE	AXIAL AC	871,6	261,7	4,86
NX2-G06 /A /EC	A	EC FANS	928	R454B	SCROLL	SHELL&TUBE	AXIAL EC	871,6	258,6	5,12
NX2-G06 /A /NR	A	NOISE REDUCER	928	R454B	SCROLL	SHELL&TUBE	AXIAL AC	868,1	267,9	4,85
NX2-G06 /A /NR + EC	A	NOISE REDUCER + EC FANS	928	R454B	SCROLL	SHELL&TUBE	AXIAL EC	868,1	263,1	5,12
NX2-G06 /K /EC	K	EC FANS	404	R454B	SCROLL	SHELL&TUBE	AXIAL EC	378,6	116,1	4,88
NX2-G06 /K	K	-	404	R454B	SCROLL	SHELL&TUBE	AXIAL AC	378,6	117,6	4,67
NX2-G06 /K /EC	K	EC FANS	424	R454B	SCROLL	SHELL&TUBE	AXIAL EC	398,5	123	4,89
NX2-G06 /K	K	-	424	R454B	SCROLL	SHELL&TUBE	AXIAL AC	398,5	124,1	4,68
NX2-G06 /K /EC	K	EC FANS	464	R454B	SCROLL	SHELL&TUBE	AXIAL EC	436,5	137,7	4,8
NX2-G06 /K	K	-	464	R454B	SCROLL	SHELL&TUBE	AXIAL AC	436,5	139	4,65
NX2-G06 /K /EC	K	EC FANS	515	R454B	SCROLL	SHELL&TUBE	AXIAL EC	487,5	152,8	4,91
NX2-G06 /K	K	-	515	R454B	SCROLL	SHELL&TUBE	AXIAL AC	487,5	154,3	4,7
NX2-G06 /K /EC	K	EC FANS	576	R454B	SCROLL	SHELL&TUBE	AXIAL EC	538,3	168,2	4,92
NX2-G06 /K	K	-	576	R454B	SCROLL	SHELL&TUBE	AXIAL AC	538,3	169,8	4,7
NX2-G06 /K /EC	K	EC FANS	585	R454B	SCROLL	SHELL&TUBE	AXIAL EC	546,2	169,1	4,93
NX2-G06 /K	K	-	585	R454B	SCROLL	SHELL&TUBE	AXIAL AC	546,2	170,7	4,76
NX2-G06 /K /EC	K	EC FANS	636	R454B	SCROLL	SHELL&TUBE	AXIAL EC	597,3	184,4	4,97
NX2-G06 /K	K	-	636	R454B	SCROLL	SHELL&TUBE	AXIAL AC	597,3	186,1	4,75
NX2-G06 /K /EC	K	EC FANS	676	R454B	SCROLL	SHELL&TUBE	AXIAL EC	635,7	198,7	4,88
NX2-G06 /K	K	-	676	R454B	SCROLL	SHELL&TUBE	AXIAL AC	635,7	200,5	4,73
NX2-G06 /K /EC	K	EC FANS	706	R454B	SCROLL	SHELL&TUBE	AXIAL EC	655,9	201,2	5,02
NX2-G06 /K	K	-	706	R454B	SCROLL	SHELL&TUBE	AXIAL AC	655,9	203,1	4,77
NX2-G06 /K /EC	K	EC FANS	768	R454B	SCROLL	SHELL&TUBE	AXIAL EC	719,8	218,8	4,96
NX2-G06 /K	K	-	768	R454B	SCROLL	SHELL&TUBE	AXIAL AC	719,8	220,8	4,75
NX2-G06 /K /EC	K	EC FANS	808	R454B	SCROLL	SHELL&TUBE	AXIAL EC	758,8	232,8	4,93
NX2-G06 /K	K	-	808	R454B	SCROLL	SHELL&TUBE	AXIAL AC	758,8	234,9	4,74
NX2-G06 /K /EC	K	EC FANS	848	R454B	SCROLL	SHELL&TUBE	AXIAL EC	797,4	245,4	4,94
NX2-G06 /K	K	-	848	R454B	SCROLL	SHELL&TUBE	AXIAL AC	797,4	247,6	4,75
NX2-G06 /K /EC	K	EC FANS	898	R454B	SCROLL	SHELL&TUBE	AXIAL EC	834,8	260,1	4,92
NX2-G06 /K	K	-	898	R454B	SCROLL	SHELL&TUBE	AXIAL AC	834,8	262,5	4,75
NX2-G06 /K /EC	K	EC FANS	928	R454B	SCROLL	SHELL&TUBE	AXIAL EC	866,4	275	4,89
NX2-G06 /K	K	-	928	R454B	SCROLL	SHELL&TUBE	AXIAL AC	866,4	276,8	4,74

Model	Verzija	Opcija	Veličina	RT	Kompresor	Isparivač	Ventilator	Hlađenje					Hlađenje + parcijalna rekuperacija topline					
								Lw [dBA]	Qhl [kW]	Nhl [kW]	EER	SEER	Qhl-r [kW]	Qgr-r [kW]	N [kW]	Dužina [mm]	Širina [mm]	Visina [mm]
NX2-G06 /D /EC	-	EC FANS	42	R454B	SCROLL	PLATE	AXIAL EC		40,4	13,3	4,91	42,05	11,11	12,65				
NX2-G06 /D /NR	-	NOISE REDUCER	42	R454B	SCROLL	PLATE	AXIAL AC		39,9	13,8	4,6	41,56	11,38	13,11				
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	42	R454B	SCROLL	PLATE	AXIAL EC		39,9	13,6	4,86	41,56	11,38	12,95				
NX2-G06 /D	-	-	42	R454B	SCROLL	PLATE	AXIAL AC		40,4	13,8	4,61	42,05	11,11	13,21				
NX2-G06 /D /UP	-	UP	42	R454B	SCROLL	PLATE	AXIAL AC		41,1	13	4,7	42,73	10,31	12,34				
NX2-G06 /D /UP + EC	-	UP + EC	42	R454B	SCROLL	PLATE	AXIAL EC		41,1	12,8	4,97	42,73	10,31	12,14				
NX2-G06 /D /EC	-	EC FANS	52	R454B	SCROLL	PLATE	AXIAL EC		48,5	15,7	4,98	50,4	13,3	15,02				
NX2-G06 /D /NR	-	NOISE REDUCER	52	R454B	SCROLL	PLATE	AXIAL AC		47,7	16,3	4,71	49,64	13,66	15,57				
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	52	R454B	SCROLL	PLATE	AXIAL EC		47,7	16,1	4,93	49,64	13,66	15,41				
NX2-G06 /D	-	-	52	R454B	SCROLL	PLATE	AXIAL AC		48,5	16,3	4,72	50,4	13,3	15,58				
NX2-G06 /D /UP	-	UP	52	R454B	SCROLL	PLATE	AXIAL AC		49,2	15,1	4,83	51,2	12,25	14,44				
NX2-G06 /D /UP + EC	-	UP + EC	52	R454B	SCROLL	PLATE	AXIAL EC		49,2	14,9	5,07	51,2	12,25	14,24				
NX2-G06 /D /EC	-	EC FANS	62	R454B	SCROLL	PLATE	AXIAL EC		54	16,7	4,77	56,2	14,12	15,91				
NX2-G06 /D /NR	-	NOISE REDUCER	62	R454B	SCROLL	PLATE	AXIAL AC		53,5	17,3	4,54	55,67	14,54	16,52				
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	62	R454B	SCROLL	PLATE	AXIAL EC		53,5	17,2	4,73	55,67	14,54	16,36				
NX2-G06 /D	-	-	62	R454B	SCROLL	PLATE	AXIAL AC		54	17,3	4,56	56,2	14,12	16,47				
NX2-G06 /D /UP	-	UP	62	R454B	SCROLL	PLATE	AXIAL AC		54,6	16	4,65	56,85	12,96	15,22				
NX2-G06 /D /UP + EC	-	UP + EC	62	R454B	SCROLL	PLATE	AXIAL EC		54,6	15,8	4,85	56,85	12,96	15,02				
NX2-G06 /D /EC	-	EC FANS	72	R454B	SCROLL	PLATE	AXIAL EC		60,8	17,1	4,96	63,27	14,16	16,26				
NX2-G06 /D /NR	-	NOISE REDUCER	72	R454B	SCROLL	PLATE	AXIAL AC		60,4	17,7	4,66	62,85	14,44	16,82				
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	72	R454B	SCROLL	PLATE	AXIAL EC		60,4	17,5	4,93	62,85	14,44	16,58				
NX2-G06 /D	-	-	72	R454B	SCROLL	PLATE	AXIAL AC		60,8	18	4,65	63,27	14,16	17,1				
NX2-G06 /D /UP	-	UP	72	R454B	SCROLL	PLATE	AXIAL AC		61,4	17	4,72	63,95	13,26	16,14				
NX2-G06 /D /UP + EC	-	UP + EC	72	R454B	SCROLL	PLATE	AXIAL EC		61,4	16,7	5	63,95	13,26	15,84				
NX2-G06 /D /EC	-	EC FANS	82	R454B	SCROLL	PLATE	AXIAL EC		68	20	4,84	70,74	16,66	18,98				
NX2-G06 /D /NR	-	NOISE REDUCER	82	R454B	SCROLL	PLATE	AXIAL AC		67,4	20,6	4,57	70,17	17,04	19,62				
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	82	R454B	SCROLL	PLATE	AXIAL EC		67,4	20,4	4,8	70,17	17,04	19,38				
NX2-G06 /D	-	-	82	R454B	SCROLL	PLATE	AXIAL AC		68	20,9	4,57	70,74	16,66	19,82				
NX2-G06 /D /UP	-	UP	82	R454B	SCROLL	PLATE	AXIAL AC		68,8	19,5	4,65	71,61	15,52	18,57				
NX2-G06 /D /UP + EC	-	UP + EC	82	R454B	SCROLL	PLATE	AXIAL EC		68,8	19,3	4,89	71,61	15,52	18,27				
NX2-G06 /D /EC	-	EC FANS	92	R454B	SCROLL	PLATE	AXIAL EC		79,6	25	4,82	82,81	21,03	23,7				
NX2-G06 /D /NR	-	NOISE REDUCER	92	R454B	SCROLL	PLATE	AXIAL AC		78,6	25,8	4,59	81,77	21,59	24,54				
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	92	R454B	SCROLL	PLATE	AXIAL EC		78,6	25,5	4,78	81,77	21,59	24,3				
NX2-G06 /D	-	-	92	R454B	SCROLL	PLATE	AXIAL AC		79,6	25,8	4,6	82,81	21,03	24,54				
NX2-G06 /D /UP	-	UP	92	R454B	SCROLL	PLATE	AXIAL AC		80,6	23,8	4,69	83,89	19,31	22,68				
NX2-G06 /D /UP + EC	-	UP + EC	92	R454B	SCROLL	PLATE	AXIAL EC		80,6	23,6	4,89	83,89	19,31	22,38				
NX2-G06 /D /EC	-	EC FANS	102	R454B	SCROLL	PLATE	AXIAL EC		93,1	27,6	4,84	96,81	22,8	26,35				
NX2-G06 /D /NR	-	NOISE REDUCER	102	R454B	SCROLL	PLATE	AXIAL AC		92,2	28,7	4,54	95,91	23,32	27,41				
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	102	R454B	SCROLL	PLATE	AXIAL EC		92,2	27,9	4,9	95,91	23,32	26,61				
NX2-G06 /D	-	-	102	R454B	SCROLL	PLATE	AXIAL AC		93,1	28,3	4,53	96,81	22,8	27,05				
NX2-G06 /D /UP	-	UP	102	R454B	SCROLL	PLATE	AXIAL AC		94,1	28,4	4,54	97,89	21,48	27,22				
NX2-G06 /D /UP + EC	-	UP + EC	102	R454B	SCROLL	PLATE	AXIAL EC		94,1	27,8	4,85	97,89	21,48	26,62				
NX2-G06 /D /EC	-	EC FANS	112	R454B	SCROLL	PLATE	AXIAL EC		103,5	32,5	4,51	107,7	27,08	30,98				
NX2-G06 /D /NR	-	NOISE REDUCER	112	R454B	SCROLL	PLATE	AXIAL AC		102,5	33,8	4,27	106,7	27,77	32,22				
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	112	R454B	SCROLL	PLATE	AXIAL EC		102,5	33	4,53	106,7	27,77	31,42				
NX2-G06 /D	-	-	112	R454B	SCROLL	PLATE	AXIAL AC		103,5	33,3	4,29	107,7	27,08	31,68				
NX2-G06 /D /UP	-	UP	112	R454B	SCROLL	PLATE	AXIAL AC		104,4	32,9	4,31	108,7	25,36	31,41				
NX2-G06 /D /UP + EC	-	UP + EC	112	R454B	SCROLL	PLATE	AXIAL EC		104,4	32,3	4,54	108,7	25,36	30,81				
NX2-G06 /D /EC	-	EC FANS	122	R454B	SCROLL	PLATE	AXIAL EC		116,2	38,1	4,54	120,9	32,02	36,32				

NX2-G06 /D /NR	-	NOISE REDUCER	122	R454B	SCROLL	PLATE	AXIAL AC	114,9	39,8	4,29	119,5	32,98	37,85
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	122	R454B	SCROLL	PLATE	AXIAL EC	114,9	38,9	4,53	119,5	32,98	37,05
NX2-G06 /D	-	-	122	R454B	SCROLL	PLATE	AXIAL AC	116,2	38,9	4,32	120,9	32,02	37,02
NX2-G06 /D /UP	-	UP	122	R454B	SCROLL	PLATE	AXIAL AC	117,8	37,8	4,37	122,6	29,61	36,01
NX2-G06 /D /UP + EC	-	UP + EC	122	R454B	SCROLL	PLATE	AXIAL EC	117,8	37,2	4,59	122,6	29,61	35,41
NX2-G06 /D /EC	-	EC FANS	142	R454B	SCROLL	PLATE	AXIAL EC	129,3	44,3	4,56	134,5	37,5	42,25
NX2-G06 /D /NR	-	NOISE REDUCER	142	R454B	SCROLL	PLATE	AXIAL AC	127,4	46,2	4,34	132,5	38,79	44,14
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	142	R454B	SCROLL	PLATE	AXIAL EC	127,4	45,5	4,55	132,5	38,79	43,34
NX2-G06 /D	-	-	142	R454B	SCROLL	PLATE	AXIAL AC	129,3	45,1	4,38	134,5	37,5	42,95
NX2-G06 /D /UP	-	UP	142	R454B	SCROLL	PLATE	AXIAL AC	131,4	43,1	4,44	136,7	34,27	41,04
NX2-G06 /D /UP + EC	-	UP + EC	142	R454B	SCROLL	PLATE	AXIAL EC	131,4	42,4	4,62	136,7	34,27	40,44
NX2-G06 /D /EC	-	EC FANS	162	R454B	SCROLL	PLATE	AXIAL EC	151,7	47,1	4,75	157,7	39,08	44,8
NX2-G06 /D /NR	-	NOISE REDUCER	162	R454B	SCROLL	PLATE	AXIAL AC	150,1	49,2	4,48	156	40,25	46,82
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	162	R454B	SCROLL	PLATE	AXIAL EC	150,1	48	4,78	156	40,25	45,62
NX2-G06 /D	-	-	162	R454B	SCROLL	PLATE	AXIAL AC	151,7	48,2	4,48	157,7	39,08	45,85
NX2-G06 /D /UP	-	UP	162	R454B	SCROLL	PLATE	AXIAL AC	153,6	47,6	4,51	159,7	36,43	45,38
NX2-G06 /D /UP + EC	-	UP + EC	162	R454B	SCROLL	PLATE	AXIAL EC	153,6	46,7	4,77	159,7	36,43	44,48
NX2-G06 /D /EC	-	EC FANS	182	R454B	SCROLL	PLATE	AXIAL EC	173,9	55	4,71	180,7	46,21	52,51
NX2-G06 /D /NR	-	NOISE REDUCER	182	R454B	SCROLL	PLATE	AXIAL AC	171,6	57,6	4,47	178,4	47,75	54,92
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	182	R454B	SCROLL	PLATE	AXIAL EC	171,6	56,3	4,71	178,4	47,75	53,72
NX2-G06 /D	-	-	182	R454B	SCROLL	PLATE	AXIAL AC	173,9	56,1	4,49	180,7	46,21	53,56
NX2-G06 /D /UP	-	UP	182	R454B	SCROLL	PLATE	AXIAL AC	176,1	54,7	4,54	183,1	42,72	52,19
NX2-G06 /D /UP + EC	-	UP + EC	182	R454B	SCROLL	PLATE	AXIAL EC	176,1	53,7	4,75	183,1	42,72	51,29
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0184P	R454B	SCROLL	PLATE	AXIAL EC	167,1	49,6	5,01	173,7	40,57	47,25
NX2-G06 /D	-	-	0184P	R454B	SCROLL	PLATE	AXIAL AC	168,1	50,2	4,73	174,7	39,13	47,91
NX2-G06 /D /EC	-	EC FANS	0184P	R454B	SCROLL	PLATE	AXIAL EC	168,1	49	5,01	174,7	39,13	46,71
NX2-G06 /D /NR	-	NOISE REDUCER	0184P	R454B	SCROLL	PLATE	AXIAL AC	167,1	50,6	4,77	173,7	40,57	48,25
NX2-G06 /D /EC	-	EC FANS	0184T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	168,1	48,7	5,06	174,7	39,13	46,71
NX2-G06 /D	-	-	0184T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	168,1	49,9	4,78	174,7	39,13	47,91
NX2-G06 /D /NR	-	NOISE REDUCER	0184T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	167,2	50,4	4,83	173,7	40,57	48,25
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0184T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	167,2	49,3	5,07	173,7	40,57	47,25
NX2-G06 /D /EC	-	EC FANS	202	R454B	SCROLL	PLATE	AXIAL EC	186,6	61,2	4,67	193,9	51,72	58,46
NX2-G06 /D /NR	-	NOISE REDUCER	202	R454B	SCROLL	PLATE	AXIAL AC	183,9	64,1	4,45	191,1	53,6	61,25
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	202	R454B	SCROLL	PLATE	AXIAL EC	183,9	62,8	4,67	191,1	53,6	60,05
NX2-G06 /D	-	-	202	R454B	SCROLL	PLATE	AXIAL AC	186,6	62,2	4,48	193,9	51,72	59,51
NX2-G06 /D /UP	-	UP	202	R454B	SCROLL	PLATE	AXIAL AC	189,5	60	4,53	196,9	47,45	57,29
NX2-G06 /D /UP + EC	-	UP + EC	202	R454B	SCROLL	PLATE	AXIAL EC	189,5	59	4,73	196,9	47,45	56,39
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0214P	R454B	SCROLL	PLATE	AXIAL EC	195,7	59,5	5	203,4	49,37	56,78
NX2-G06 /D	-	-	0214P	R454B	SCROLL	PLATE	AXIAL AC	197,2	59	4,76	204,9	46,99	56,4
NX2-G06 /D /EC	-	EC FANS	0214P	R454B	SCROLL	PLATE	AXIAL EC	197,2	57,8	5,03	204,9	46,99	55,2
NX2-G06 /D /NR	-	NOISE REDUCER	0214P	R454B	SCROLL	PLATE	AXIAL AC	195,7	60,6	4,78	203,4	49,37	57,78
NX2-G06 /D /EC	-	EC FANS	0214T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	197,2	57,8	5,05	204,9	46,99	55,2
NX2-G06 /D	-	-	0214T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	197,2	58,9	4,79	204,9	46,99	56,4
NX2-G06 /D /NR	-	NOISE REDUCER	0214T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	195,7	60,4	4,81	203,4	49,37	57,78
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0214T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	195,7	59,3	5,03	203,4	49,37	56,78
NX2-G06 /D /EC	-	EC FANS	222	R454B	SCROLL	PLATE	AXIAL EC	208,3	70,6	4,63	216,5	60,04	67,46
NX2-G06 /D /NR	-	NOISE REDUCER	222	R454B	SCROLL	PLATE	AXIAL AC	206,1	74,1	4,4	214,2	62,41	70,77
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	222	R454B	SCROLL	PLATE	AXIAL EC	206,1	72,8	4,6	214,2	62,41	69,57
NX2-G06 /D	-	-	222	R454B	SCROLL	PLATE	AXIAL AC	208,3	71,8	4,46	216,5	60,04	68,51
NX2-G06 /D /UP	-	UP	222	R454B	SCROLL	PLATE	AXIAL AC	211,4	68,2	4,52	219,7	54,66	65,09
NX2-G06 /D /UP + EC	-	UP + EC	222	R454B	SCROLL	PLATE	AXIAL EC	211,4	67,3	4,69	219,7	54,66	64,19

NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0244P	R454B	SCROLL	PLATE	AXIAL EC	223,7	71	4,94	232,4	59,41	67,62
NX2-G06 /D	-	-	0244P	R454B	SCROLL	PLATE	AXIAL AC	225,8	69,7	4,78	234,6	56,29	66,45
NX2-G06 /D /EC	-	EC FANS	0244P	R454B	SCROLL	PLATE	AXIAL EC	225,8	68,4	4,99	234,6	56,29	65,25
NX2-G06 /D /NR	-	NOISE REDUCER	0244P	R454B	SCROLL	PLATE	AXIAL AC	223,7	71,9	4,77	232,4	59,41	68,62
NX2-G06 /D /EC	-	EC FANS	0244T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	225,8	68,4	4,98	234,6	56,29	65,25
NX2-G06 /D	-	-	0244T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	225,8	69,7	4,77	234,6	56,29	66,45
NX2-G06 /D /NR	-	NOISE REDUCER	0244T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	223,7	71,9	4,77	232,4	59,41	68,62
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0244T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	223,7	71	4,94	232,4	59,41	67,62
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0264P	R454B	SCROLL	PLATE	AXIAL EC	247,5	80,4	4,92	257,1	67,88	76,78
NX2-G06 /D	-	-	0264P	R454B	SCROLL	PLATE	AXIAL AC	250,4	78,2	4,79	260,1	64,02	74,81
NX2-G06 /D /EC	-	EC FANS	0264P	R454B	SCROLL	PLATE	AXIAL EC	250,4	77	5	260,1	64,02	73,61
NX2-G06 /D /NR	-	NOISE REDUCER	0264P	R454B	SCROLL	PLATE	AXIAL AC	247,5	81,4	4,75	257,1	67,88	77,78
NX2-G06 /D /EC	-	EC FANS	0264T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	250,4	77	5,01	260,1	64,02	73,61
NX2-G06 /D	-	-	0264T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	250,4	78,2	4,81	260,1	64,02	74,81
NX2-G06 /D /NR	-	NOISE REDUCER	0264T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	247,5	81,4	4,75	257,1	67,88	77,78
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0264T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	247,5	80,4	4,92	257,1	67,88	76,78
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0294P	R454B	SCROLL	PLATE	AXIAL EC	277,9	82	5,04	288,7	67,65	78,23
NX2-G06 /D	-	-	0294P	R454B	SCROLL	PLATE	AXIAL AC	279,7	82,8	4,71	290,5	65,33	79,02
NX2-G06 /D /EC	-	EC FANS	0294P	R454B	SCROLL	PLATE	AXIAL EC	279,7	80,8	4,98	290,5	65,33	77,22
NX2-G06 /D /NR	-	NOISE REDUCER	0294P	R454B	SCROLL	PLATE	AXIAL AC	277,9	83,5	4,8	288,7	67,65	79,73
NX2-G06 /D /EC	-	EC FANS	0294T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	279,6	81	4,96	290,5	65,33	77,22
NX2-G06 /D	-	-	0294T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	279,6	82,7	4,69	290,5	65,33	79,02
NX2-G06 /D /NR	-	NOISE REDUCER	0294T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	277,8	83,7	4,78	288,7	67,65	79,73
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0294T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	277,8	82,2	5,02	288,7	67,65	78,23
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0334P	R454B	SCROLL	PLATE	AXIAL EC	310,2	95,7	5,01	322,2	79,9	91,48
NX2-G06 /D	-	-	0334P	R454B	SCROLL	PLATE	AXIAL AC	312,8	94,8	4,73	324,9	76,09	90,66
NX2-G06 /D /EC	-	EC FANS	0334P	R454B	SCROLL	PLATE	AXIAL EC	312,8	92,8	4,99	324,9	76,09	88,86
NX2-G06 /D /NR	-	NOISE REDUCER	0334P	R454B	SCROLL	PLATE	AXIAL AC	310,2	97,2	4,79	322,2	79,9	92,98
NX2-G06 /D /EC	-	EC FANS	0334T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	312,8	92,8	4,99	324,9	76,09	88,86
NX2-G06 /D	-	-	0334T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	312,8	94,8	4,73	324,9	76,09	90,66
NX2-G06 /D /NR	-	NOISE REDUCER	0334T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	310,2	97,2	4,79	322,2	79,9	92,98
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0334T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	310,2	95,7	5,01	322,2	79,9	91,48
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0374P	R454B	SCROLL	PLATE	AXIAL EC	342,6	109,8	4,82	355,9	92,2	104,8
NX2-G06 /D	-	-	0374P	R454B	SCROLL	PLATE	AXIAL AC	345,4	107,9	4,62	358,8	87,64	103,2
NX2-G06 /D /EC	-	EC FANS	0374P	R454B	SCROLL	PLATE	AXIAL EC	345,4	106,3	4,83	358,8	87,64	101,4
NX2-G06 /D /NR	-	NOISE REDUCER	0374P	R454B	SCROLL	PLATE	AXIAL AC	342,6	111,2	4,64	355,9	92,2	106,3
NX2-G06 /D /EC	-	EC FANS	0374T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	345,4	106,3	4,83	358,8	87,64	101,4
NX2-G06 /D	-	-	0374T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	345,4	107,9	4,63	358,8	87,64	103,2
NX2-G06 /D /NR	-	NOISE REDUCER	0374T	R454B	SCROLL	SHELL&TUBE	AXIAL AC	342,6	111,2	4,64	355,9	92,2	106,3
NX2-G06 /D /NR + EC	-	NOISE REDUCER + EC FANS	0374T	R454B	SCROLL	SHELL&TUBE	AXIAL EC	342,6	109,8	4,82	355,9	92,2	104,8
NX2-G06 /D /A	A	-	404	R454B	SCROLL	SHELL&TUBE	AXIAL AC	379,5	113,3	4,74	394,3	85,81	108
NX2-G06 /D /A /EC	A	EC FANS	404	R454B	SCROLL	SHELL&TUBE	AXIAL EC	379,5	111,6	5,03	394,3	85,81	106,4
NX2-G06 /D /A /NR	A	NOISE REDUCER	404	R454B	SCROLL	SHELL&TUBE	AXIAL AC	379,2	113,9	4,73	393,9	91,51	108,3
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	404	R454B	SCROLL	SHELL&TUBE	AXIAL EC	379,2	111,2	5,03	393,9	91,51	105,7
NX2-G06 /D /A	A	-	424	R454B	SCROLL	SHELL&TUBE	AXIAL AC	399,5	118,5	4,77	415	90,99	113,6
NX2-G06 /D /A /EC	A	EC FANS	424	R454B	SCROLL	SHELL&TUBE	AXIAL EC	399,5	117,2	5,06	415	90,99	112
NX2-G06 /D /A /NR	A	NOISE REDUCER	424	R454B	SCROLL	SHELL&TUBE	AXIAL AC	398,7	120,1	4,76	414,1	97,52	114,8
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	424	R454B	SCROLL	SHELL&TUBE	AXIAL EC	398,7	117,6	5,05	414,1	97,52	112,2
NX2-G06 /D /A	A	-	464	R454B	SCROLL	SHELL&TUBE	AXIAL AC	439,3	131,5	4,73	456,3	102	125,4
NX2-G06 /D /A /EC	A	EC FANS	464	R454B	SCROLL	SHELL&TUBE	AXIAL EC	439,3	130	4,91	456,3	102	123,8
NX2-G06 /D /A /NR	A	NOISE REDUCER	464	R454B	SCROLL	SHELL&TUBE	AXIAL AC	437	134,5	4,72	454	110	128,3

NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	464	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	437	132	4,92	454	110	125,7
NX2-G06 /D /A	A	-	515	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	489,7	147,1	4,78	508,6	114,2	140,6
NX2-G06 /D /A /EC	A	EC FANS	515	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	489,7	145,3	5,07	508,6	114,2	138,8
NX2-G06 /D /A /NR	A	NOISE REDUCER	515	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	487,2	150,4	4,76	506,1	123,1	143,6
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	515	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	487,2	147,6	5,07	506,1	123,1	140,8
NX2-G06 /D /A	A	-	576	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	540,2	163,7	4,72	561,1	126,8	156,1
NX2-G06 /D /A /EC	A	EC FANS	576	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	540,2	161,7	5,05	561,1	126,8	154,1
NX2-G06 /D /A /NR	A	NOISE REDUCER	576	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	538,1	167,1	4,7	559	136,4	159,1
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	576	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	538,1	164,1	5,03	559	136,4	155,9
NX2-G06 /D /A	A	-	585	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	548,1	163,6	4,82	569,2	127,4	156,8
NX2-G06 /D /A /EC	A	EC FANS	585	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	548,1	161,7	5,13	569,2	127,4	154,8
NX2-G06 /D /A /NR	A	NOISE REDUCER	585	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	545,9	167,5	4,81	566,9	137,4	160,2
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	585	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	545,9	164,4	5,13	566,9	137,4	157
NX2-G06 /D /A	A	-	636	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	599,1	179,9	4,82	622,2	139,8	172
NX2-G06 /D /A /EC	A	EC FANS	636	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	599,1	177,8	5,13	622,2	139,8	169,8
NX2-G06 /D /A /NR	A	NOISE REDUCER	636	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	596,7	184,2	4,8	619,7	150,6	175,7
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	636	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	596,7	180,3	5,11	619,7	150,6	172,2
NX2-G06 /D /A	A	-	676	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	638,4	190,6	4,86	662,9	147,5	182,3
NX2-G06 /D /A /EC	A	EC FANS	676	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	638,4	188,3	5,11	662,9	147,5	179,9
NX2-G06 /D /A /NR	A	NOISE REDUCER	676	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	635,9	193,9	4,85	660,3	158,6	185,5
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	676	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	635,9	190,4	5,1	660,3	158,6	181,7
NX2-G06 /D /A	A	-	706	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	658	197	4,83	683,3	153	188,2
NX2-G06 /D /A /EC	A	EC FANS	706	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	658	194,7	5,14	683,3	153	185,8
NX2-G06 /D /A /NR	A	NOISE REDUCER	706	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	654,7	201,4	4,81	679,9	164,9	192,3
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	706	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	654,7	197,2	5,12	679,9	164,9	188,5
NX2-G06 /D /A	A	-	768	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	720,4	213,8	4,81	748,1	161,3	204,8
NX2-G06 /D /A /EC	A	EC FANS	768	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	720,4	210,6	5,15	748,1	161,3	201,6
NX2-G06 /D /A /NR	A	NOISE REDUCER	768	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	719,7	214,2	4,81	747,4	171,6	204,2
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	768	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	719,7	208,6	5,16	747,4	171,6	199,1
NX2-G06 /D /A	A	-	808	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	761,5	226	4,81	790,8	171,5	215,8
NX2-G06 /D /A /EC	A	EC FANS	808	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	761,5	222,7	5,13	790,8	171,5	212,6
NX2-G06 /D /A /NR	A	NOISE REDUCER	808	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	760	227,5	4,81	789,3	183,2	216,8
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	808	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	760	222,2	5,13	789,3	183,2	211,6
NX2-G06 /D /A	A	-	848	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	800,5	237,5	4,83	831,2	182,1	227,2
NX2-G06 /D /A /EC	A	EC FANS	848	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	800,5	234,1	5,14	831,2	182,1	224
NX2-G06 /D /A /NR	A	NOISE REDUCER	848	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	798	240,4	4,82	828,6	195,2	229,7
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	848	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	798	234,7	5,14	828,6	195,2	224,6
NX2-G06 /D /A	A	-	898	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	839	249,7	4,84	871,2	192,9	238,9
NX2-G06 /D /A /EC	A	EC FANS	898	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	839	246,8	5,14	871,2	192,9	235,7
NX2-G06 /D /A /NR	A	NOISE REDUCER	898	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	836,6	254,3	4,83	868,6	207,3	242,8
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	898	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	836,6	249	5,14	868,6	207,3	237,7
NX2-G06 /D /A	A	-	928	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	871,6	261,7	4,86	905	203,5	250,4
NX2-G06 /D /A /EC	A	EC FANS	928	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	871,6	258,6	5,12	905	203,5	247,2
NX2-G06 /D /A /NR	A	NOISE REDUCER	928	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	868,1	267,9	4,85	901,4	219,5	256
NX2-G06 /D /A /NR + EC	A	NOISE REDUCER + EC FANS	928	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	868,1	263,1	5,12	901,4	219,5	250,9
NX2-G06 /D /K	K	-	404	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	378,6	117,6	4,67	393,3	93,05	112
NX2-G06 /D /K /EC	K	EC FANS	404	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	378,6	116,1	4,88	393,3	93,05	110,8
NX2-G06 /D /K	K	-	424	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	398,5	124,1	4,68	413,9	99,25	118,7
NX2-G06 /D /K /EC	K	EC FANS	424	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	398,5	123	4,89	413,9	99,25	117,5
NX2-G06 /D /K	K	-	464	R454B	SCROLL	SHELL&TUBE	AXIAL	AC	436,5	139	4,65	453,4	112,1	132,5
NX2-G06 /D /K /EC	K	EC FANS	464	R454B	SCROLL	SHELL&TUBE	AXIAL	EC	436,5	137,7	4,8	453,4	112,1	131,3

NX2-G06 /D /K	K	-	515 R454B	SCROLL	SHELL&TUBE	AXIAL AC	487,5	154,3	4,7	506,3	123,9	147,3
NX2-G06 /D /K /EC	K	EC FANS	515 R454B	SCROLL	SHELL&TUBE	AXIAL EC	487,5	152,8	4,91	506,3	123,9	145,9
NX2-G06 /D /K	K	-	576 R454B	SCROLL	SHELL&TUBE	AXIAL AC	538,3	169,8	4,7	559,2	135,8	162
NX2-G06 /D /K /EC	K	EC FANS	576 R454B	SCROLL	SHELL&TUBE	AXIAL EC	538,3	168,2	4,92	559,2	135,8	160,4
NX2-G06 /D /K	K	-	585 R454B	SCROLL	SHELL&TUBE	AXIAL AC	546,2	170,7	4,76	567,2	137	163,3
NX2-G06 /D /K /EC	K	EC FANS	585 R454B	SCROLL	SHELL&TUBE	AXIAL EC	546,2	169,1	4,93	567,2	137	161,7
NX2-G06 /D /K	K	-	636 R454B	SCROLL	SHELL&TUBE	AXIAL AC	597,3	186,1	4,75	620,3	148,8	178
NX2-G06 /D /K /EC	K	EC FANS	636 R454B	SCROLL	SHELL&TUBE	AXIAL EC	597,3	184,4	4,97	620,3	148,8	176,2
NX2-G06 /D /K	K	-	676 R454B	SCROLL	SHELL&TUBE	AXIAL AC	635,7	200,5	4,73	660,2	161,6	191,8
NX2-G06 /D /K /EC	K	EC FANS	676 R454B	SCROLL	SHELL&TUBE	AXIAL EC	635,7	198,7	4,88	660,2	161,6	190
NX2-G06 /D /K	K	-	706 R454B	SCROLL	SHELL&TUBE	AXIAL AC	655,9	203,1	4,77	681,1	161,9	194
NX2-G06 /D /K /EC	K	EC FANS	706 R454B	SCROLL	SHELL&TUBE	AXIAL EC	655,9	201,2	5,02	681,1	161,9	192
NX2-G06 /D /K	K	-	768 R454B	SCROLL	SHELL&TUBE	AXIAL AC	719,8	220,8	4,75	747,5	174,3	211,2
NX2-G06 /D /K /EC	K	EC FANS	768 R454B	SCROLL	SHELL&TUBE	AXIAL EC	719,8	218,8	4,96	747,5	174,3	208,8
NX2-G06 /D /K	K	-	808 R454B	SCROLL	SHELL&TUBE	AXIAL AC	758,8	234,9	4,74	788	186,3	224,2
NX2-G06 /D /K /EC	K	EC FANS	808 R454B	SCROLL	SHELL&TUBE	AXIAL EC	758,8	232,8	4,93	788	186,3	221,8
NX2-G06 /D /K	K	-	848 R454B	SCROLL	SHELL&TUBE	AXIAL AC	797,4	247,6	4,75	828	198,5	237,4
NX2-G06 /D /K /EC	K	EC FANS	848 R454B	SCROLL	SHELL&TUBE	AXIAL EC	797,4	245,4	4,94	828	198,5	235
NX2-G06 /D /K	K	-	898 R454B	SCROLL	SHELL&TUBE	AXIAL AC	834,8	262,5	4,75	866,8	211,2	251,1
NX2-G06 /D /K /EC	K	EC FANS	898 R454B	SCROLL	SHELL&TUBE	AXIAL EC	834,8	260,1	4,92	866,8	211,2	248,7
NX2-G06 /D /K	K	-	928 R454B	SCROLL	SHELL&TUBE	AXIAL AC	866,4	276,8	4,74	899,7	223,9	264,8
NX2-G06 /D /K /EC	K	EC FANS	928 R454B	SCROLL	SHELL&TUBE	AXIAL EC	866,4	275	4,89	899,7	223,9	262,4